

Gemiddelde van resultaat			datum																
Rijlabels	Omschrijving	streef_lucht	MTR_lucht	eenheid	5-1-2023	16-2-2023	16-3-2023	13-4-2023	11-5-2023	15-6-2023	6-7-2023	21-8-2023	14-9-2023	19-10-2023	16-11-2023	14-12-2023	17-1-2024	14-3-2024	
L02	Benzeen	0,001	0,005	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
	Tolueen	0,003	0,4	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
	Ethylbenzeen	-	0,77	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
	ortho-Xyleen	-	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
	meta-/para-Xyleen (som)	-	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
	Styreen (Vinylbenzeen)	0,009	0,9	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Naftaleen	-	0,001	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1-Dichloorethaan	-	0,37	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2-Dichloorethaan	0,001	0,048	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1,1-Trichloorethaan	0,0038	0,38	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1,2-Trichloorethaan	0,00017	0,017	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Trichloormethaan (Chloroform)	0,001	0,1	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Tetrachloormethaan (Tetra)	0,001	0,06	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	cis-1,2-Dichlooretheen	0,0006	0,06	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Trichlooretheen (Tri)	0,005	0,2	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Tetrachlooretheen (Per)	0,0025	0,25	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Monochloorbenzeen	0	0,5	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,3-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,4-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	iso-Propylbenzeen (Cumeen)	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Propylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2,3-Trimethylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2,4-Trimethylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,3,5-Trimethylbenzeen (Mesityleen)	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	alkylbenzenen (som)	0	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Hexaan	0	0,7	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Heptaan	0	0,71	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Octaan	0	0,71	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2-Methylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2-Methylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylheptaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,4-Dimethylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,4-dimethylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,5-Dimethylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	alkanen (EC5-EC8) (som)	0	18,4	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Nonaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Undecaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	hogere alkananen (EC8-EC16) (som)	0	1	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Methylcyclohexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Methylcyclopentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Cyclopentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Decaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<

Gemiddelde van resultaat			datum																
Rijlabels	Omschrijving	streef_lucht	MTR_lucht	eenheid	5-1-2023	16-2-2023	16-3-2023	13-4-2023	11-5-2023	15-6-2023	6-7-2023	21-8-2023	14-9-2023	19-10-2023	16-11-2023	14-12-2023	17-1-2024	14-3-2024	
L04	Benzeen	0,001	0,005	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
	Tolueen	0,003	0,4	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
	Ethylbenzeen	-	0,77	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
	ortho-Xyleen	-	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
	meta-/para-Xyleen (som)	-	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Styreen (Vinylbenzeen)	0,009	0,9	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Naftaleen	-	0,001	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1-Dichloorethaan	-	0,37	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2-Dichloorethaan	0,001	0,048	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1,1-Trichloorethaan	0,0038	0,38	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1,2-Trichloorethaan	0,00017	0,017	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Trichloormethaan (Chloroform)	0,001	0,1	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Tetrachloormethaan (Tetra)	0,001	0,06	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	cis-1,2-Dichlooretheen	0,0006	0,06	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Dichloormethaan	0,02	3	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Trichlooretheen (Tri)	0,005	0,2	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Tetrachlooretheen (Per)	0,0025	0,25	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Monochloorbenzeen	0	0,5	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,3-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,4-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	iso-Propylbenzeen (Cumeen)	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Propylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2,3-Trimethylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2,4-Trimethylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,3,5-Trimethylbenzeen (Mesityleen)	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	alkylbenzenen (som)	0	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Hexaan	0	0,7	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Heptaan	0	0,71	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Octaan	0	0,71	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2-Methylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2-Methylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylheptaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,4-Dimethylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,4-dimethylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,5-Dimethylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	alkanen (EC5-EC8) (som)	0	18,4	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Nonaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Undecaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	hogere alkananen (EC8-EC16) (som)	0	1	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Methylcyclohexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Methylcyclopentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
Cyclopentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
Decaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	

Gemiddelde van resultaat			datum															
Rijlabels	Omschrijving	streef_lucht	MTR_lucht	eenheid	5-1-2023	16-2-2023	16-3-2023	13-4-2023	11-5-2023	15-6-2023	6-7-2023	21-8-2023	14-9-2023	19-10-2023	16-11-2023	14-12-2023	17-1-2024	14-3-2024
L06	Benzeen	0,001	0,005	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Tolueen	0,003	0,4	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Ethylbenzeen	-	0,77	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	ortho-Xyleen	-	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	meta-/para-Xyleen (som)	-	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Styreen (Vinylbenzeen)	0,009	0,9	mg/m3														
	Naftaleen	-	0,001	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1-Dichloorethaan	-	0,37	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2-Dichloorethaan	0,001	0,048	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1,1-Trichloorethaan	0,0038	0,38	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1,2-Trichloorethaan	0,00017	0,017	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Trichloormethaan (Chloroform)	0,001	0,1	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Tetrachloormethaan (Tetra)	0,001	0,06	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	cis-1,2-Dichlooretheen	0,0006	0,06	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Dichloormethaan	0,02	3	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Trichlooretheen (Tri)	0,005	0,2	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Tetrachlooretheen (Per)	0,0025	0,25	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Monochloorbenzeen	0	0,5	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,3-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,4-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	iso-Propylbenzeen (Cumeen)	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Propylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2,3-Trimethylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2,4-Trimethylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,3,5-Trimethylbenzeen (Mesityleen)	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	alkylbenzenen (som)	0	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Hexaan	0	0,7	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Heptaan	0	0,71	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Octaan	0	0,71	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2-Methylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2-Methylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylheptaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,4-Dimethylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,4-dimethylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,5-Dimethylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	alkanen (EC5-EC8) (som)	0	18,4	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Nonaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Undecaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	hogere alkananen (EC8-EC16) (som)	0	1	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Methylcyclohexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Methylcyclopentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Cyclopentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Decaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<

Gemiddelde van resultaat			datum																
Rijlabels	Omschrijving	streef_lucht	MTR_lucht	eenheid	5-1-2023	16-2-2023	16-3-2023	13-4-2023	11-5-2023	15-6-2023	6-7-2023	21-8-2023	14-9-2023	19-10-2023	16-11-2023	14-12-2023	17-1-2024	14-3-2024	
L08	Benzeen	0,001	0,005	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
	Tolueen	0,003	0,4	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
	Ethylbenzeen	-	0,77	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
	ortho-Xyleen	-	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
	meta-/para-Xyleen (som)	-	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
	Styreen (Vinylbenzeen)	0,009	0,9	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Naftaleen	-	0,001	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1-Dichloorethaan	-	0,37	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2-Dichloorethaan	0,001	0,048	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1,1-Trichloorethaan	0,0038	0,38	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1,2-Trichloorethaan	0,00017	0,017	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Trichloormethaan (Chloroform)	0,001	0,1	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Tetrachloormethaan (Tetra)	0,001	0,06	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	cis-1,2-Dichlooretheen	0,0006	0,06	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Dichloormethaan	0,02	3	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Trichlooretheen (Tri)	0,005	0,2	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Tetrachlooretheen (Per)	0,0025	0,25	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Monochloorbenzeen	0	0,5	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,3-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,4-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	iso-Propylbenzeen (Cumeen)	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Propylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2,3-Trimethylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2,4-Trimethylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,3,5-Trimethylbenzeen (Mesityleen)	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	alkylbenzenen (som)	0	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Hexaan	0	0,7	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Heptaan	0	0,71	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Octaan	0	0,71	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2-Methylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2-Methylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylheptaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,4-Dimethylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,4-dimethylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,5-Dimethylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	alkanen (EC5-EC8) (som)	0	18,4	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Nonaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Undecaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	hogere alkananen (EC8-EC16) (som)	0	1	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Methylcyclohexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Methylcyclopentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Cyclopentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Decaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<

Gemiddelde van resultaat			datum															
Rijlabels	Omschrijving	streef_lucht	MTR_lucht	eenheid	5-1-2023	16-2-2023	16-3-2023	13-4-2023	11-5-2023	15-6-2023	6-7-2023	21-8-2023	14-9-2023	19-10-2023	16-11-2023	14-12-2023	17-1-2024	14-3-2024
L10	Benzeen	0,001	0,005	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Tolueen	0,003	0,4	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Ethylbenzeen	-	0,77	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	ortho-Xyleen	-	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	meta-/para-Xyleen (som)	-	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Styreen (Vinylbenzeen)	0,009	0,9	mg/m3														
	Naftaleen	-	0,001	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1-Dichloorethaan	-	0,37	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2-Dichloorethaan	0,001	0,048	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1,1-Trichloorethaan	0,0038	0,38	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1,2-Trichloorethaan	0,00017	0,017	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Trichloormethaan (Chloroform)	0,001	0,1	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Tetrachloormethaan (Tetra)	0,001	0,06	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	cis-1,2-Dichlooretheen	0,0006	0,06	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Dichloormethaan	0,02	3	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Trichlooretheen (Tri)	0,005	0,2	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Tetrachlooretheen (Per)	0,0025	0,25	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Monochloorbenzeen	0	0,5	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,3-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,4-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	iso-Propylbenzeen (Cumeen)	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Propylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2,3-Trimethylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2,4-Trimethylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,3,5-Trimethylbenzeen (Mesityleen)	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	alkylbenzenen (som)	0	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Hexaan	0	0,7	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Heptaan	0	0,71	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Octaan	0	0,71	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2-Methylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2-Methylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylheptaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,4-Dimethylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,4-dimethylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,5-Dimethylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	alkanen (EC5-EC8) (som)	0	18,4	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Nonaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Undecaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	hogere alkananen (EC8-EC16) (som)	0	1	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Methylcyclohexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Methylcyclopentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Cyclopentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Decaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<

Gemiddelde van resultaat			datum																
Rijlabels	Omschrijving	streef_lucht	MTR_lucht	eenheid	5-1-2023	16-2-2023	16-3-2023	13-4-2023	11-5-2023	15-6-2023	6-7-2023	21-8-2023	14-9-2023	19-10-2023	16-11-2023	14-12-2023	17-1-2024	14-3-2024	
L11	Benzeen	0,001	0,005	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
	Tolueen	0,003	0,4	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
	Ethylbenzeen	-	0,77	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
	ortho-Xyleen	-	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
	meta-/para-Xyleen (som)	-	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
	Naftaleen	-	0,001	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1-Dichloorethaan	-	0,37	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2-Dichloorethaan	0,001	0,048	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1,1-Trichloorethaan	0,0038	0,38	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1,2-Trichloorethaan	0,00017	0,017	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Trichloormethaan (Chloroform)	0,001	0,1	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Tetrachloormethaan (Tetra)	0,001	0,06	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	cis-1,2-Dichlooretheen	0,0006	0,06	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Dichloormethaan	0,02	3	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Trichlooretheen (Tri)	0,005	0,2	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Tetrachlooretheen (Per)	0,0025	0,25	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Monochloorbenzeen	0	0,5	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,3-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,4-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	iso-Propylbenzeen (Cumeen)	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Propylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2,3-Trimethylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2,4-Trimethylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,3,5-Trimethylbenzeen (Mesityleen)	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	alkylbenzenen (som)	0	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Hexaan	0	0,7	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Heptaan	0	0,71	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Octaan	0	0,71	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2-Methylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2-Methylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylheptaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,4-Dimethylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,4-dimethylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,5-Dimethylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	alkanen (EC5-EC8) (som)	0	18,4	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Nonaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Undecaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<
hogere alkananen (EC8-EC16) (som)	0	1	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
Methylcyclohexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
Methylcyclopentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
Cyclopentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	
Decaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<	<	

Gemiddelde van resultaat			datum															
Rijlabels	Omschrijving	streef_lucht	MTR_lucht	eenheid	5-1-2023	16-2-2023	16-3-2023	13-4-2023	11-5-2023	15-6-2023	6-7-2023	21-8-2023	14-9-2023	19-10-2023	16-11-2023	14-12-2023	17-1-2024	14-3-2024
L12	Benzeen	0,001	0,005	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Tolueen	0,003	0,4	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Ethylbenzeen	-	0,77	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	ortho-Xyleen	-	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	meta-/para-Xyleen (som)	-	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Styreen (Vinylbenzeen)	0,009	0,9	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Naftaleen	-	0,001	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1-Dichloorethaan	-	0,37	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2-Dichloorethaan	0,001	0,048	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1,1-Trichloorethaan	0,0038	0,38	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,1,2-Trichloorethaan	0,00017	0,017	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Trichloormethaan (Chloroform)	0,001	0,1	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Tetrachloormethaan (Tetra)	0,001	0,06	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	cis-1,2-Dichlooretheen	0,0006	0,06	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Dichloormethaan	0,02	3	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Trichlooretheen (Tri)	0,005	0,2	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Tetrachlooretheen (Per)	0,0025	0,25	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Monochloorbenzeen	0	0,5	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,3-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,4-Dichloorbenzeen	0	0,67	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	iso-Propylbenzeen (Cumeen)	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Propylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2,3-Trimethylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,2,4-Trimethylbenzeen	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	1,3,5-Trimethylbenzeen (Mesityleen)	0	0	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	alkylbenzenen (som)	0	0,87	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Hexaan	0	0,7	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Heptaan	0	0,71	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Octaan	0	0,71	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2-Methylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2-Methylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylheptaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	3-Methylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,4-Dimethylpentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,4-dimethylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	2,5-Dimethylhexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	alkanen (EC5-EC8) (som)	0	18,4	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Nonaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Undecaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	hogere alkananen (EC8-EC16) (som)	0	1	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Methylcyclohexaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Methylcyclopentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Cyclopentaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<
	Decaan	0	-	mg/m3	<	<	<	<	<	<	<	<	<	<	<	<	<	<